

GEDA[®]

2 PK

**Flexible system: can be used
universally for all crane brands**



**Full crane load thanks to mo-
vable mounts and lightweight
aluminium structure**

Easy handling, fast assembly

Maintenance-friendly design

**Proven technology in use world-
wide – Made in Germany**





GEDA 2 PK

The GEDA 2 PK transports the crane operator to his workplace, quickly and, above all, safely. This means no more risky, arduous climbs in often poor weather conditions. The flexible system means the hoist can be installed on all crane types from all manufacturers, up to a height of 150 m as a standard.

Once the base unit of the rack and pinion hoist has been assembled and anchored, the aluminium ladder sections, weighing only 22 kg, are installed through the open cabin roof and easily mounted without screws, using the patented quick-release connections.


Comprehensive safety features complete the overall concept of the GEDA 2 PK. When opening the car, a small ramp with side protection folds down and, in conjunction with the access barrier on the crane, ensures safe access to the car. A speed-dependent safety gear guarantees safety, while electrical safety elements prevent operating errors.

The crane operator hoist can also act as a life saver in an emergency situation, as the recovery and rescue of unconscious or ill crane operators can be conducted very quickly with the GEDA 2 PK.

Technical data:

	200 kg 2 persons
	60/80/120/150 m
	24 m/min
	1.5 kW/400 V/ 50 Hz/16 A

Platform:



GEDA 2 PK

1 entrance and exit ramp

Landing level safety gate:



2 PK
Art. No. 38100

Accessories:

For a wide range of
accessories visit:
www.geda.de



*You can use the GEDA 2 PK
for ALL TYPES OF CRANES
of the different manufacturers!*



GEDA Access Platform UNI
for the safe access between crane operator hoist
and crane platform.



GEDA Crane Console UNI
to assemble the GEDA 2 PK hanging on the crane

